






| LOCALE           | CODICE        | DESCRIZIONE COMPONENTE | FINITURA | GR. |
|------------------|---------------|------------------------|----------|-----|
| CABINA OSPITI DX | MD320_MF_RB01 | COMODINO PRUA          |          | 5   |



LAM.SMART01802 JUNGLE







LAMINATO SMART RE13  
FIRMAMENTO REVERSO






| FERRAMENTA                                             | QTY |
|--------------------------------------------------------|-----|
| VITE 6MA X 25 TESTA BOMBATA NERA BHCS 10.9 ISO 7380    | 10  |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER L_FBC_F134141746 4D  | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE R_FBC_F134108955 4D | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE L_FBC_F134108955 4D | 1   |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER R_FBC_F134141746 4D  | 1   |
| CALAMITA SEALED MAGNETIC_TECNOPARTNER_MC-JM50-BL       | 1   |
| PLACCHETTA COUNTER STEEL_TECNOPARTNER_MC-JM49          | 1   |
| GUIDA DYNAPRO SOFTCLOSE L250 R_FBC_F130107790 4D       | 1   |
| GUIDA DYNAPRO SOFTCLOSE L250 L_FBC_F130107790 4D       | 1   |
| BUSSOLA 6MA X 10 FORO DIAM.8                           | 12  |

| LOCALE           | CODICE        | DESCRIZIONE COMPONENTE | FINITURA | GR. |
|------------------|---------------|------------------------|----------|-----|
| CABINA OSPITI DX | MD320_MF_RC01 | STRUTTURA LETTO VAR.1  |          | 4   |






| FERRAMENTA                                                  | QTY |
|-------------------------------------------------------------|-----|
| ALZAPAGLIOLI_FORESTI_164.B BRUNITON                         | 2   |
| VITE 4MA X 12 TESTA SVASATA ESAGONALE NERA_FBC              | 4   |
| VITE 6MA X 30 TESTA BOMBATA NERA BHCS                       | 15  |
| REGGIRIPIANO PERNO RAPIDO X CR. CO-RING_FBC BORGHI_00073653 | 8   |
| GUIDA DYNAPRO SOFTCLOSE L400 L_FBC_F130107808 4D            | 1   |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER L_FBC_F134141746 4D       | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE L_FBC_F134108955 4D      | 1   |
| PLACCHETTA COUNTER STEEL_TECHNOPARTNER_MC-JM49              | 2   |
| GUIDA DYNAPRO SOFTCLOSE L400 R_FBC_F130107808 4D            | 1   |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER R_FBC_F134141746 4D       | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE R_FBC_F134108955 4D      | 1   |
| BORCHIA PASSO 6MA_FBC                                       | 8   |
| BUSSOLA 6MA X 10 FORO DIAM.8                                | 4   |
| BUSSOLA 8MA X 14_FBC                                        | 8   |
| BUSSOLA RAPIDA_FBC BORGHI_00280877                          | 8   |
| CALAMITA SEALED MAGNETIC_TECNOPARTNER_MC-JM50-BL            | 2   |
| CP TRAPEZI STABILUS TZ 530 BTZ T2,A0_FBC_99999032           | 1   |
| MANIGLIETTA ALZA LETTO_FORESTI_ART.76A,C                    | 1   |
| PISTONE A GAS STABILUS_456306_600NW-L385_FBC_99999049       | 2   |
| RANELLA SP.2 MM DIAM.24 FORO 8_FBC                          | 8   |
| SEEGER PER MECC. LETTO_00407908                             | 2   |
| TBL 6MAX15_FBC                                              | 8   |
| TBL 8MA X 20_FBC                                            | 8   |




| LOCALE           | CODICE            | DESCRIZIONE COMPONENTE | FINITURA                     | GR. |
|------------------|-------------------|------------------------|------------------------------|-----|
| CABINA OSPITI DX | MD320_MF_RRC01/02 | LETTI SCORREVOLI VAR.2 | LAMINATO SMART 0180-2 JUNGLE | 4   |





MF\_RRC01



| FERRAMENTA                                             | QTY |
|--------------------------------------------------------|-----|
| BUSSOLA 6MA X 10 FORO DIAM.8                           | 8   |
| ALZAPAGLIOLI_FORESTI_164,B BRUNITON                    | 1   |
| BORCHIA PASSO 6MA_FBC                                  | 8   |
| BUSSOLA 8MA X 14_FBC                                   | 8   |
| CP TRAPEZI NERI STABILUS TZ 530 BTZ T2,A0_FBC_99999049 | 1   |
| MANIGLIETTA ALZA LETTO_FORESTI_ART.76A.C               | 1   |
| PISTONE A GAS STABILUS_456306_600NW-L385_FBC           | 1   |
| PISTONE A GAS STABILUS_456306_600NW-L385_FBC_99999049  | 1   |
| RANELLA SP.2 MM DIAM.24 FORO 8_FBC                     | 8   |
| SEEGER PER MECC. LETTO_00407908                        | 2   |
| TBL 6MAX15_FBC                                         | 8   |
| TBL 8MA X 20_FBC                                       | 8   |
| VITE 4MA X 12 TESTA SVASATA ESAGONALE NERA_FBC         | 2   |






MF\_RRC02






| FERRAMENTA                                             | QTY |
|--------------------------------------------------------|-----|
| TBL 6MAX15_FBC                                         | 8   |
| BORCHIA PASSO 6MA_FBC                                  | 8   |
| ALZAPAGLIOLI_FORESTI_164,B BRUNITON                    | 3   |
| BUSSOLA 6MA X 10 FORO DIAM.8                           | 11  |
| BUSSOLA 8MA X 14_FBC                                   | 8   |
| CP TRAPEZI NERI STABILUS TZ 530 BTZ T2,A0_FBC_99999049 | 1   |
| FERMAPORTA DORMAKABA_HAFELE_938_00_001                 | 2   |
| MANIGLIETTA ALZA LETTO_FORESTI_ART.76A.C               | 1   |
| PISTONE A GAS STABILUS_456306_600NW-L385_FBC           | 1   |
| PISTONE A GAS STABILUS_456306_600NW-L385_FBC_99999049  | 1   |
| RANELLA SP.2 MM DIAM.24 FORO 8_FBC                     | 8   |
| RUOTA GRANDE Z141-80_FBC BORGHI_00307505               | 4   |
| RUOTA PICCOLA HF 66104340_FBC BORGHI_00398510          | 2   |
| SEEGER PER MECC. LETTO_00407908                        | 2   |
| TBL 8MA X 20_FBC                                       | 8   |
| VITE 4MA X 12 TESTA SVASATA ESAGONALE NERA_FBC         | 6   |
| VITE 6MA X 25 TESTA BOMBATA NERA BHCS 10.9 ISO 7380    | 3   |

| LOCALE           | CODICE        | DESCRIZIONE COMPONENTE | FINITURA | GR. |
|------------------|---------------|------------------------|----------|-----|
| CABINA OSPITI DX | MD320_MF_RD01 | COMODINO POPPA VAR.1   |          | 5   |





MF\_RD01






| FERRAMENTA                                             | QTY |
|--------------------------------------------------------|-----|
| GUIDA DYNAPRO ADJUSTMENT ADAPTER L_FBC_F134141746 4D   | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE L_FBC_F134108955 4D | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE R_FBC_F134108955 4D | 1   |
| GUIDA DYNAPRO ADJUSTMENT ADAPTER R_FBC_F134141746 4D   | 1   |
| BUSSOLA 6MA X 10 FORO DIAM.8                           | 10  |
| GUIDA DYNAPRO SOFTCLOSE L250 L_FBC_F130107790 4D       | 1   |
| CALAMITA SEALED MAGNETIC_TECNOPARTNER_MC-JM50-BL       | 1   |
| GUIDA DYNAPRO SOFTCLOSE L250 R_FBC_F130107790 4D       | 1   |
| PLACCHETTA COUNTER STEEL_TECNOPARTNER_MC-JM49          | 1   |

| LOCALE         | CODICE         | DESCRIZIONE COMPONENTE | FINITURA | GR. |
|----------------|----------------|------------------------|----------|-----|
| CAB. OSPITI DX | MD320_MF_RRD01 | COMODINO POPPA VAR.2   |          | 5   |







SECTION H-H



MF\_RRD01





| FERRAMENTA                                             | QTY |
|--------------------------------------------------------|-----|
| BUSSOLA 6MA X 10 FORO DIAM.8                           | 10  |
| GUIDA DYNAPRO SOFTCLOSE L250 R_FBC_F130107790 4D       | 2   |
| GUIDA DYNAPRO SOFTCLOSE L250 L_FBC_F130107790 4D       | 2   |
| CALAMITA SEALED MAGNETIC_TECNOPARTNER_MC-JM50-BL       | 1   |
| PLACCHETTA COUNTER STEEL_TECNOPARTNER_MC-JM49          | 1   |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER R_FBC_F134141746 4D  | 2   |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER L_FBC_F134141746 4D  | 2   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE L_FBC_F134108955 4D | 2   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE R_FBC_F134108955 4D | 2   |

| LOCALE           | CODICE        | DESCRIZIONE COMPONENTE | FINITURA | GR. |
|------------------|---------------|------------------------|----------|-----|
| CABINA OSPITI DX | MD320_MF_RH01 | CORNICE TV             |          | 4   |



| FERRAMENTA                         | QTY |
|------------------------------------|-----|
| BUSSOLA 6MA X 10 FORO DIAM.8       | 14  |
| VITE 6MA X 25 TESTA SVASATA        | 14  |
| FITLOCK M_MASCHERPA_3MM_6020202101 | 13  |
| FITLOCK F_MASCHERPA_6020101102     | 13  |

| LOCALE           | CODICE        | DESCRIZIONE COMPONENTE | FINITURA | GR. |
|------------------|---------------|------------------------|----------|-----|
| CABINA OSPITI DX | MD320_MF_RI01 | ARMADIO                |          | 4   |



| FERRAMENTA                                                         | QTY |
|--------------------------------------------------------------------|-----|
| VITE 4MA X 12 TESTA SVASATA ESAGONALE NERA_FBC                     | 2   |
| ALZAPAGLIOLI_FORESTI_ 164.B BRUNITON                               | 1   |
| GIUNTO REGGIRIPIANO_HAFELE_262.36.510                              | 12  |
| PUSH TO CLOSE_SOUTHCO-MP-05-312-55 NERA_TECHNOPARTNER              | 2   |
| KIT LED PER ARMADIO MD320 RI01 MM 512_                             | 1   |
| GUIDA DYNAPRO SOFTCLOSE L250 R_FBC_F130107790 4D                   | 1   |
| KIT BARRA APPENDIABITI - CP SUPPORTI+ BARRA                        | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE R_FBC_F134108955 4D             | 1   |
| GUIDA DYNAPRO FRONT LOCKING DEVICE L_FBC_F134108955 4D             | 1   |
| CERNIERA 94°_PIANA-NERA_HAFELE_342.46.604-BLUM_71B9550.STP         | 4   |
| COPERTURA BRACCIO CERNIERA NERO-HAFELE_342.94.602-BLUM_70.1503.STP | 4   |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER R_FBC_F134141746 4D              | 1   |
| KEEPER PUSH TO CLOSE_SOUTCHO-J-M1-519-4_TECHNOPARTNER              | 1   |
| GUIDA DYNAPRO SOFTCLOSE L250 L_FBC_F130107790 4D                   | 1   |
| CHIUSURA A SPINTA_TECHNOPARTNER_SOU C3-203                         | 6   |
| BUSSOLA 5MA ANKOR BORGHI                                           | 8   |
| GUIDA DYNAPRO ADJUSTAMENT ADAPTER L_FBC_F134141746 4D              | 1   |
| BASE_3-NERA_HAFELE_342.22.067-BLUM_175H3130.STP                    | 4   |
| VITE 4MAX8 ANKOR BORGHI                                            | 8   |
| VITE 6MA X 25 TESTA BOMBATA NERA BHCS 10.9 ISO 7380                | 2   |
| GIUNTO REGGIRIPIANO CON BORDO ANTISGANCIO_FBC BORGHI_1033XXB060902 | 12  |
| PERNO LISCIO PER SPALLA_FBC BORGHI_1033PXX050531                   | 12  |
| BUSSOLA 6MA X 10 FORO DIAM.8                                       | 6   |
| BUSSOLA 5MA ANKOR BORGHI X CERNIERA PIANA                          | 8   |
| MAGNETE FORZA MAGNETICA1-5 10KG_HAFELE_246.87.112                  | 4   |
| BUSSOLA AD ESPANSIONE_HAFELE_042.98.051                            | 10  |